Fig.1


(ng/ml)		[3H]-TdR UPTAKE (cpm)			
IL-6	sIL-6R				
		0 50	0 100	0 150	0 2000
-	-	7/////	7772		•
1	-	///////	/////		
10	-		//// <del> </del>		
100	-	///////	//////	-1	
-	1	///////			
-	10	///////			
-	100			<del>   </del>	
1	1		$\mathbb{Z}\mathbb{Z}$		
1	10				
1	100			-1	
10	1		<i>7///</i> }'		
10	10				-771
10	100				
100	1	777777		<del>-</del>	p<0.02
100	10	777777		/////	<del></del>
100	100				p<0.02

#### Title: CHRONIC RHEUMATOID ARTHRITIS THERAPY CONAINING IL-6 ANTAGONIST AS EFFECTIVE COMPONENT Inventor(s): Tadamitsu KISHIMOTO, et al.

DOCKET NO.: 053466/0296

## Fig.2


3H-TdR UPTAKE (cpm)



# Title: CHRONIC RHEUMATOID ARTHRITIS THERAPY CONAINING IL-6 ANTAGONIST A EFFECTIVE COMPONENT Inventor(s): Tadamitsu KISHIMOTO, et al. DOCKET NO.: 053466/0296


Fig.3

3H-TdR UPTAKE (cpm)




Title: CHRONIC RHEUMATOID ARTHRITIS
HERAPY CONAINING IL-6 ANTAGONIST AS
EFFECTIVE COMPONENT
Inventor(s): Tadamitsu KISHIMOTO, et al.
DOCKET NO.: 053466/0296

Fig.4



### Title: CHRONIC RHEUMATOID ARTHRITIS THERAPY CONAINING IL-6 ANTAGONIST AS EFFECTIVE COMPONENT

Inventor(s): Tadamitsu KISHIMOTO, et al. DOCKET NO.: 053466/0296



#### Title: CHRONIC RHEUMATOID ARTHRITIS THERAPY CONAINING IL-6 ANTAGONIST A EFFECTIVE COMPONENT

Inventor(s): Tadamitsu KISHIMOTO, et al.

DOCKET NO.: 053466/0296

## FIG. 6(a)




FIG. 6(b)

